

AMPP

Morges, exposé du 23 mars 2006

Jean-Nicolas Despland, Institut Universitaire de Psychothérapie, DP CHUV
av. d'Echallens 9, 1004 Lausanne

Eléments bibliographiques

- Bachelor, A., Guérin, M.-C., Théorêt, M., Poitras, J., & Tremblay, J. (1993). L'alliance thérapeutique: le point de vue des clients. *Psychothérapies*, 3, 171-178.
- Collectif (2004). *Psychothérapie. Trois approches évaluées*. Paris : les éditions Inserm. (Disponible on-line [http://193.49.126.9/Techniques psychotherapeutiques/Documentation/ExpertiseCollective/default.html](http://193.49.126.9/Techniques_psychotherapeutiques/Documentation/ExpertiseCollective/default.html)).
Un travail clairement en faveur d'un modèle de préférence TCC.
- de Roten Y., Michel L., & Despland J.-N. (2005). Etudier les liens entre alliance thérapeutique et technique psychanalytique : le modèle de l'adéquation. *Pour la Recherche*, 44, 11-13.
- de Roten, Y. (2002). Le verdict de l'oiseau dodo. Résultats de la recherche sur l'efficacité des psychothérapies. *Psychoscope*, 32(1), 24-27.
- Despland J.-N., de Roten Y., Despars, J., Stigler M., & Perry J.C. (2001). Contribution of patient defense mechanisms and therapist interventions to the development of early therapeutic alliance in a brief psychodynamic investigation. *Journal of Psychotherapy Practice and Research*, 10(3), 155-164.
- Despland, J.N., de Roten, Y., Martinez, E., Plancherel, A.C., Solai, S. (2000). L'alliance thérapeutique: un concept empirique. *Médecine & Hygiène*, 58, 1877-1880.
- Horvath, A. O. (2000). The therapeutic relationship: From transference to alliance. *Journal of Clinical Psychology*, 56(2), 163-173.
- Huibers M.J.H., Beurskens J.H.M., Van Schayck C.P., Bazelmans E., Metsemakers J.F.M., Knottnerus J.A., Bleijenberg G. (2004). Efficacy of cognitive-behavioural therapy by general practitioners for unexplained fatigue among employees. Randomised controlled trial. *British Journal of Psychiatry*, 184: 240-246. **GP**
- Ionescu, S. (1998). L'évaluation des psychothérapies. In T. Nathan, A. Blanchet, S. Ionescu, & N. Zajde (Eds.), *Psychothérapies* (pp. 165-222). Paris: Odile Jacob.
- Jacobson, N. S., Dobson, K. S., Truax, P., Addis, M. E., Koerner, K., Gollan, J. K., Gortner, E., & Prince, S. E. (1996). A component analysis of cognitive-behavioral treatment for depression. *Journal of Consulting and Clinical Psychology*, 64(2), 295-304.
- King M., Davidson O., Taylor F., Haines A., Sharp D., Turner R. (2002). Effectiveness of teaching general practitioners skills in brief cognitive behaviour therapy to treat patients with depression: randomised controlled trial. *British Medical Journal*, 324:324-947. Martin, D.J., Grasse, J.P., & Davis, K. (2000). Relation of the therapeutic alliance with outcome and other variables: A meta-analytic review. *Journal of Consulting & Clinical Psychology*, 68(3), 438-450. **GP**
- Lambert, M. J. (Ed. 2004). *Bergin and Garfield's handbook of psychotherapy and behavior change* (5th edition). New York: Wiley. **Livre de référence**
- Martin, D.J., Grasse, J.P., & Davis, K. (2000). Relation of the therapeutic alliance with outcome and other variables: A meta-analytic review. *Journal of Consulting & Clinical Psychology*, 68(3), 438-450.
- Wampold, B. E. (2001). *The great psychotherapy debate: Models, Methods, and findings*. Mahwah, NJ: Lawrence Erlbaum. **Livre majeur, point de vue original**
- Ward E., King M., Lloyd M., Bower P., Sibbald B., Farrelly S., Gabbay M., Tarrier N., Addinton-Hall J. (2000). Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. I: Clinical effectiveness. *British Medical Journal*, 321:1383-1388. **GP**